

Microsoft MCSA 70-462 Exam



Vendor : Microsoft

Exam Code: 70-462

Exam Name: Administering Microsoft SQL Server 2012 Databases

QUESTION 1

You create an availability group that has replicas named HA/Server01 and HA/Server02. Currently, HA/Server01 is the primary replica. You have multiple queries that read data and produce reports from the database. You need to offload the reporting workload to the secondary replica when HA/Server01 is the primary replica. What should you do?

- A. Set the Availability Mode property of HA/Server02 to Asynchronous commit.
- B. Set the Readable Secondary property of HA/Server02 to Read-intent only.
- C. Set the Connections in Primary Role property of HA/Server01 to Allow read/write connections.
- D. Set the Availability Mode property of HA/Server01 to Asynchronous commit.

Correct Answer: B

QUESTION 2

You administer two Microsoft SQL Server 2012 servers. Each server resides in a different, untrusted domain. You plan to configure database mirroring. You need to be able to create database mirroring endpoints on both servers. What should you do?

- A. Configure the SQL Server service account to use Network Service.
- B. Use a server certificate.
- C. Use a database certificate.
- D. Configure the SQL Server service account to use Local System.

Correct Answer: B

QUESTION 3

You are creating an application that will connect to the AgentPortal database by using a SQL login named AgentPortalUser. Stored procedures in the database will use sp_send_dbmail to send email messages. You create a user account in the msdb database for the AgentPortalUser login. You use the Database Mail Configuration Wizard to create a Database Mail profile. Security has not been configured for the Database Mail profile. You need to ensure that AgentPortalUser can send email messages. What should you do?

- A. In the Database Mail Configuration Wizard, configure the Database Mail profile as a private profile for the AgentPortalUser account.
- B. Disable the guest user in the msdb database.
- C. Use the sysmail_help_profileaccount_sp stored procedure to add accounts to the Database Mail profile.
- D. In the Database Mail Configuration Wizard, create an email account for each recipient's email address in the Database Mail profile.

Correct Answer: A

QUESTION 4

You administer a Microsoft SQL Server 2012 default instance. The instance is hosted by a server that has a local firewall configured. The firewall only allows inbound connections on port 1433. The server only hosts a single instance of SQL Server. You need to ensure that the instance is configured to allow remote connections even if the SQL Server is unresponsive to client connections. What should you do? Choose all that apply.

- A. Enable inbound connections on TCP port 1434 in the Windows Firewall on the server.
- B. Execute the following Transact-SQL command: `sp_configure 'remote admin connections',`
- C. Execute the Reconfigure command.
- D. Execute the following Transact-SQL command: `sp_configure 'remote access', 1`
- E. Restart the SQL Server Agent Service.
- F. Enable inbound connections on TCP port 135 in the Windows Firewall on the server.

Correct Answer: ABC

QUESTION 5

You administer a Microsoft SQL Server database named Sales. The database is 3 terabytes in size. The Sales database is configured as shown in the following table:

Filegroup	File
PRIMARY	<ul style="list-style-type: none">• Sales.mdf
XACTIONS	<ul style="list-style-type: none">• Sales_1.ndf• Sales_2.ndf• Sales_3.ndf
ARCHIVES	<ul style="list-style-type: none">• SalesArch_1.ndf• SalesArch_2.ndf

You discover that Sales_2.ndf is corrupt. You need to recover the corrupted data in the minimum amount of time. What should you do?

- A. Perform a file restore.
- B. Perform a transaction log restore.
- C. Perform a restore from a full backup.
- D. Perform a filegroup restore.

Correct Answer: A

QUESTION 6

You administer a Microsoft SQL Server 2012 instance that contains a financial database hosted on a storage area network (SAN). The financial database has the following characteristics:

- A data file of 2 terabytes is located on a dedicated LUN (drive D).
- A transaction log of 10 GB is located on a dedicated LUN (drive E).
- Drive D has 1 terabyte of free disk space.
- Drive E has 5 GB of free disk space.

The database is continually modified by users during business hours from Monday through Friday between 09:00 hours and 17:00 hours. Five percent of the existing data is modified each day. The Finance department loads large CSV files into a number of tables each business day at 11:15 hours and 15:15 hours by using the BCP or BULK INSERT commands. Each data load adds 3 GB of data to the database. These data load operations must occur in the minimum amount of time. A full database backup is performed every Sunday at 10:00 hours. Backup operations will be performed every two hours (11:00, 13:00, 15:00, and 17:00) during business hours. You implement log shipping of the financial database to another SQL Server 2012 instance. You decide to failover to this secondary database. You need to ensure that all transactions will be replicated to the secondary database. Which backup option should you use?

- A. Differential
- B. Transaction Log
- C. FULL
- D. SIMPLE
- E. SKIP
- F. RESTART
- G. STANDBY
- H. CHECKSUM
- I. DBO_ONLY
- J. COPY_ONLY
- K. NORECOVERY
- L. NO_CHECKSUM
- M. CONTINUE_AFTER_ERROR
- N. BULK_LOGGED

Correct Answer: K

QUESTION 7

You administer a Microsoft SQL Server 2012 database that has Trustworthy set to On. You create a stored procedure that returns database-level information from Dynamic Management Views. You grant User1 access to execute the stored procedure. You need to ensure that the stored procedure returns the required information when User1 executes the stored procedure. You need to achieve

this goal by granting the minimum permissions required. What should you do? (Each correct answer presents a complete solution. Choose all that apply.)

- A. Create a SQL Server login that has VIEW SERVER STATE permissions.
Create an application role and a secured password for the role.
- B. Modify the stored procedure to include the EXECUTE AS OWNER statement.
Grant VIEW SERVER STATE permissions to the owner of the stored procedure.
- C. Create a SQL Server login that has VIEW SERVER STATE permissions.
Modify the stored procedure to include the EXECUTE AS {newlogin} statement.
- D. Grant the db_owner role on the database to User1.
- E. Grant the sysadmin role on the database to User1.

Correct Answer: BC

QUESTION 8

You administer all the deployments of Microsoft SQL Server 2012 in your company. You have two servers in the same data center that hosts your production database. You need to ensure that the database remains available if a catastrophic server failure or a disk failure occurs. You also need to maintain transactional consistency of the data across both servers. You need to achieve these goals without manual intervention. Which configuration should you use?

- A. Two servers configured in a Windows Failover Cluster in the same data center
SQL Server configured as a clustered instance
- B. SQL Server that includes an application database configured to perform transactional replication
- C. Two servers configured in the same data center
A primary server configured to perform log-shipping every 10 minutes
A backup server configured as a warm standby
- D. Two servers configured in different data centers
SQL Server Availability Group configured in Synchronous-Commit Availability Mode
One server configured as an Active Secondary
- E. Two servers configured in the same data center
SQL Server Availability Group configured in Asynchronous-Commit Availability Mode
One server configured as an Active Secondary
- F. Two servers configured in different data centers
SQL Server Availability Group configured in Asynchronous-Commit Availability Mode
- G. SQL Server that includes an application database configured to perform snapshot replication
- H. Two servers configured on the same subnet
SQL Server Availability Group configured in Synchronous-Commit Availability Mode

Correct Answer: H

QUESTION 9

You administer a Microsoft SQL Server 2012 database. You create an availability group named haContosoDbs. Your primary replica is available at Server01\Contoso01. You need to configure the availability group to have the highest availability. You also need to ensure that no data is lost. Which Transact-SQL statement should you use?

- A. ALTER AVAILABILITY GROUP haContosoDbs MODIFY REPLICA ON 'Server01\Contoso01' WITH (AVAILABILITY_MODE = ASYNCHRONOUS_COMMIT, FAILOVER_MODE = AUTOMATIC)
- B. ALTER AVAILABILITY GROUP haContosoDbs MODIFY REPLICA ON 'Server01\Contoso01' WITH (AVAILABILITY_MODE = SYNCHRONOUS_COMMIT, FAILOVER_MODE = MANUAL)
- C. ALTER AVAILABILITY GROUP haContosoDbs MODIFY REPLICA ON 'Server01\Contoso01' WITH (AVAILABILITY_MODE = SYNCHRONOUS_COMMIT, FAILOVER_MODE = AUTOMATIC)
- D. ALTER AVAILABILITY GROUP haContosoDbs MODIFY REPLICA ON 'Server01\Contoso01' WITH (AVAILABILITY_MODE = ASYNCHRONOUS_COMMIT, FAILOVER_MODE = MANUAL)

Correct Answer: C

QUESTION 10

You administer several Microsoft SQL Server 2012 database servers. Merge replication has been configured for an application that is distributed across offices throughout a wide area network (WAN). Many of the tables involved in replication use the XML and varchar(max) data types. Occasionally, merge replication fails due to timeout errors. You need to reduce the occurrence of these timeout errors. What should you do?

- A. Set the Merge agent on the problem subscribers to use the slow link agent profile.
- B. Create a snapshot publication, and reconfigure the problem subscribers to use the snapshot publication.
- C. Change the Merge agent on the problem subscribers to run continuously.
- D. Set the Remote Connection Timeout on the Publisher to 0.

Correct Answer: A

QUESTION 11

You create an availability group named HaContoso that has replicas named Server01/HA, Server02/HA, and Server03/HA. Currently, Server01/HA is the primary replica.

You need to ensure that the following requirements are met:

- Backup operations occur on Server02/HA.
- If Server02/HA is unavailable, backup operations occur on Server03/HA.
- Backup operations do not occur on Server01/HA.

How should you configure HaContoso?

- A. Set the backup preference of HaContoso to Prefer Secondary.
Set the backup priority of Server02/HA to 20.
Set the backup priority of Server03/HA to 10.
- B. Set the backup preference of HaContoso to Secondary only.
Set the backup priority of Server02/HA to 20.
Set the backup priority of Server03/HA to 10.
- C. Set the backup preference of HaContoso to Secondary only.
Set the backup priority of Server02/HA to 10.
Set the backup priority of Server03/HA to 20.
- D. Set the exclude replica of Server01/HA to true.
Set the backup priority of Server02/HA to 10.
Set the backup priority of Server03/HA to 20.

Correct Answer: B

QUESTION 12

You administer a Microsoft SQL Server 2012 instance that has several SQL Server Agent jobs configured. When SQL Server Agent jobs fail, the error messages returned by the job steps are truncated. The following error message is an example of the truncated error message:

"Executed as user CONTOSO\ServiceAccount. ...0.4035.00 for 64-bit Copyright (C) Microsoft Corp 1984-2011. All rights reserved. Started 63513 PM Error 2012-06-23 183536.87 Code 0XC001000E Source UserImport Description Code 0x00000000 Source Log Import Activity Descript... The package execution fa... The step failed."

You need to ensure that all the details of the job step failures are retained for SQL Server Agent jobs. What should you do?

- A. Expand agent logging to include information from all events.
- B. Disable the Limit size of job history log feature.
- C. Configure event forwarding.
- D. Configure output files.

Correct Answer: D

QUESTION 13

You administer a Microsoft SQL Server 2012 server that has SQL Server Integration Services (SSIS) installed. You plan to deploy new SSIS packages to the server. The SSIS packages use the Project Deployment Model together with parameters and Integration Services environment variables. You need to configure the SQL Server environment to support these packages. What should you do?

- A. Create SSIS configuration files for the packages.
- B. Create an Integration Services catalog.
- C. Install Data Quality Services.
- D. Install Master Data services.

Correct Answer: B

QUESTION 14

You administer a Microsoft SQL Server 2012 server. When transaction logs grow, SQL Server must send an email message to the database administrators. You need to configure SQL Server to send the email messages. What should you configure?

- A. SQL Mail
- B. An Extended Events session
- C. Alerts and operators in SQL Server Agent
- D. Policies under Policy-Based Management

Correct Answer: C

QUESTION 15

You administer two instances of Microsoft SQL Server 2012. You deploy an application that uses a database on the named instance. The application is unable to connect to the database on the named instance. You need to ensure that the application can connect to the named instance. What should you do?

- A. Use the Data Quality Client to configure the application.
- B. Start the SQL Server Browser Service.
- C. Start the SQL Server Integration Services Service.
- D. Use the Master Data Services Configuration Manager to configure the application.

Correct Answer: B

QUESTION 16

You administer a Microsoft SQL Server 2012 database. The database has a table named Customers owned by UserA and another table named Orders owned by UserB. You also have a stored procedure named GetCustomerOrderInfo owned by UserB. GetCustomerOrderInfo selects data from both tables. You create a new user named UserC. You need to ensure that UserC can call the GetCustomerOrderInfo stored procedure. You also need to assign only the minimum required permissions to UserC. Which permission or permissions should you assign to UserC? Choose all that apply.

- A. The Select permission on Customers
- B. The Execute permission on GetCustomerOrderInfo
- C. The Take Ownership permission on Customers
- D. The Control permission on GetCustomerOrderInfo
- E. The Take Ownership permission on Orders
- F. The Select permission on Orders

Correct Answer: AB

QUESTION 17

You administer a Microsoft SQL Server 2012 database named ContosoDb. The database contains a table named Suppliers and a column named IsActive in the Purchases schema. You create a new user named ContosoUser in ContosoDb. ContosoUser has no permissions to the Suppliers table. You need to ensure that ContosoUser can delete rows that are not active from Suppliers. You also need to grant ContosoUser only the minimum required permissions. Which Transact-SQL statement should you use?

- A. GRANT DELETE ON Purchases.Suppliers TO ContosoUser
- B. CREATE PROCEDURE Purchases.PurgeInactiveSuppliers
WITH EXECUTE AS USER = 'dbo'
AS
DELETE FROM Purchases.Suppliers WHERE IsActive = 0
GO
GRANT EXECUTE ON Purchases.PurgeInactiveSuppliers TO ContosoUser
- C. GRANT SELECT ON Purchases.Suppliers TO ContosoUser
- D. CREATE PROCEDURE Purchases.PurgeInactiveSuppliers
AS
DELETE FROM Purchases.Suppliers WHERE IsActive = 0
GO
GRANT EXECUTE ON Purchases.PurgeInactiveSuppliers TO ContosoUser

Correct Answer: B

QUESTION 18

You use a contained database named ContosoDb within a domain. You need to create a user who can log on to the ContosoDb database. You also need to ensure that you can port the database to different database servers within the domain without additional user account configurations. Which type of user should you create?

- A. User mapped to a certificate
- B. SQL user without login
- C. Domain user
- D. SQL user with login

Correct Answer: C

QUESTION 19

You administer a Microsoft SQL Server 2012 database that has multiple tables in the Sales schema. Some users must be prevented from deleting records in any of the tables in the Sales schema. You need to manage users who are prevented from deleting records in the Sales schema. You need to achieve this goal by using the minimum amount of administrative effort. What should you do?

- A. Create a custom database role that includes the users. Deny Delete permissions on the Sales schema for the custom database role.
- B. Include the Sales schema as an owned schema for the db_denydatawriter role. Add the users to the db_denydatawriter role.
- C. Deny Delete permissions on each table in the Sales schema for each user.
- D. Create a custom database role that includes the users. Deny Delete permissions on each table in the Sales schema for the custom database role.

Correct Answer: A

QUESTION 20

You are the lead database administrator (DBA) of a Microsoft SQL Server 2012 environment. All DBAs are members of the DOMAIN\JrDBAs Active Directory group. You grant DOMAIN\JrDBAs access to the SQL Server. You need to create a server role named SpecialDBARole that can perform the following functions:

- View all databases.
- View the server state.
- Assign GRANT, DENY, and REVOKE permissions on logins.

You need to add DOMAIN\JrDBAs to the server role. You also need to provide the least level of privileges necessary. Which SQL statement or statements should you use? Choose all that apply.

- A. CREATE SERVER ROLE [SpecialDBARole] AUTHORIZATION setupadmin;

- B. ALTER SERVER ROLE [SpecialDBARole] ADD MEMBER [DOMAIN\JrDBAs];
- C. CREATE SERVER ROLE [SpecialDBARole] AUTHORIZATION securityadmin;
- D. GRANT VIEW DEFINITION TO [SpecialDBARole];
- E. CREATE SERVER ROLE [SpecialDBARole] AUTHORIZATION serveradmin;
- F. GRANT VIEW SERVER STATE, VIEW ANY DATABASE TO [SpecialDBARole];

Correct Answer: BCF

QUESTION 21

You administer a Microsoft SQL Server 2012 database that has Trustworthy set to On. You create a stored procedure that returns database-level information from Dynamic Management Views. You grant User1 access to execute the stored procedure. You need to ensure that the stored procedure returns the required information when User1 executes the stored procedure. You need to achieve this goal by granting the minimum permissions required. What should you do? (Each correct answer presents a complete solution. Choose all that apply.)

- A. Create a SQL Server login that has VIEW SERVER STATE permissions.
Create an application role and a secured password for the role.
- B. Modify the stored procedure to include the EXECUTE AS OWNER statement.
Grant VIEW SERVER STATE permissions to the owner of the stored procedure.
- C. Create a SQL Server login that has VIEW SERVER STATE permissions.
Modify the stored procedure to include the EXECUTE AS {newlogin} statement.
- D. Grant the db_owner role on the database to User1.
- E. Grant the sysadmin role on the database to User1.

Correct Answer: BC

QUESTION 22

You are migrating a database named Orders to a new server that runs Microsoft SQL Server 2012. You attempt to add the [Corpnet\User1] login to the database. However, you receive the following error message: "User already exists in current database." You need to configure the [Corpnet\User1] login to be able to access the Orders database and retain the original permissions. You need to achieve this goal by using the minimum required permissions. Which Transact-SQL statement should you use?

- A. DROP USER [User1];
CREATE USER [Corpnet\User1] FOR LOGIN [Corpnet\User1];
ALTER ROLE [db_owner] ADD MEMBER [Corpnet\User1];
- B. ALTER SERVER ROLE [sysadmin] ADD MEMBER [Corpnet\User1];
- C. ALTER USER [Corpnet\User1] WITH LOGIN [Corpnet\User1];
- D. ALTER ROLE [db_owner] ADD MEMBER [Corpnet\User1];

Correct Answer: C

QUESTION 23

You administer a Microsoft SQL Server 2012 database. You configure Transparent Data Encryption (TDE) on the Orders database by using the following statements:

```
CREATE MASTER KEY ENCRYPTION BY PASSWORD = 'MyPassword1!';  
CREATE CERTIFICATE TDE_Certificate WITH SUBJECT = 'TDE Certificate';
```

```
BACKUP CERTIFICATE TDE_Certificate TO FILE = 'd:\TDE_Certificate.cer'  
WITH PRIVATE KEY (FILE = 'd:\TDE_Certificate.key', ENCRYPTION BY PASSWORD =  
'MyPassword1!');
```

```
CREATE DATABASE ENCRYPTION KEY  
WITH ALGORITHM = AES_256  
ENCRYPTION BY SERVER CERTIFICATE TDE_Certificate;
```

```
ALTER DATABASE Orders SET ENCRYPTION ON;
```

You attempt to restore the Orders database and the restore fails. You copy the encryption file to the original location. A hardware failure occurs and so a new server must be installed and configured. After installing SQL Server to the new server, you restore the Orders database and copy the encryption files to their original location. However, you are unable to access the database. You need to be able to restore the database. Which Transact-SQL statement should you use before attempting the restore?

- A.

```
CREATE ASSEMBLY TDE_Assembly  
FROM 'd:\TDE_Certificate.cer'  
WITH PERMISSION_SET = SAFE;  
GO  
CREATE CERTIFICATE TDE_Certificate  
FROM ASSEMBLY TDE_Assembly;
```
- B.

```
CREATE CERTIFICATE TDE_Certificate  
FROM EXECUTABLE FILE = 'd:\TDE_Certificate.cer'
```
- C.

```
CREATE CERTIFICATE TDE_Certificate  
FROM FILE = 'd:\TDE_Certificate.cer'  
WITH PRIVATE KEY (FILE = 'd:\TDE_Certificate.key', DECRYPTION BY PASSWORD  
'MyPassword1!');
```
- D.

```
DECLARE @startdate date  
SET @startdate = GETDATE()  
CREATE CERTIFICATE TDE_Certificate
```

```
FROM FILE = 'd:\TDE_Certificate.cer'  
WITH START_DATE = @startdate;
```

Correct Answer: C

QUESTION 24

You administer a Microsoft SQL Server 2012 database. You provide temporary securityadmin access to User1 to the database server. You need to know if User1 adds logins to securityadmin. Which server-level audit action group should you use?

- A. SERVER_STATE_CHANGE_GROUP
- B. SERVER_PRINCIPAL_IMPERSONATION_GROUP
- C. SUCCESSFUL_LOGIN_GROUP
- D. SERVER_ROLE_MEMBER_CHANGE_GROUP

Correct Answer: D

QUESTION 25

You administer a Microsoft SQL Server 2012 instance. You need to stop a blocking process that has an SPID of 64 without stopping other processes. What should you do?

- A. Execute the following Transact-SQL statement: EXECUTE sp_KillSPID 64
- B. Restart the SQL Server service.
- C. Execute the following Transact-SQL statement: KILL 64
- D. Execute the following Transact-SQL statement: ALTER SESSION KILL '64'

Correct Answer: C

QUESTION 26

You administer a Microsoft SQL Server 2012 database. Users report that an application that accesses the database displays an error, but the error does not provide meaningful information. No entries are found in the SQL Server log or Windows event logs related to the error. You need to identify the root cause of the issue by retrieving the error message. What should you do?

- A. Create an Extended Events session by using the sqlserver.error_reported event.
- B. Create a SQL Profiler session to capture all ErrorLog and EventLog events.
- C. Flag all stored procedures for recompilation by using sp_recompile.
- D. Execute sp_who.

Correct Answer: A

QUESTION 27

You administer a Microsoft SQL Server 2012 server. One of the databases on the server supports a highly active OLTP application. Users report abnormally long wait times when they submit data into the application. You need to identify which queries are taking longer than 1 second to run over an extended period of time. What should you do?

- A. Use SQL Profiler to trace all queries that are processing on the server. Filter queries that have a Duration value of more than 1,000.
- B. Use sp_configure to set a value for blocked process threshold. Create an extended event session.
- C. Run the sp_who command from a query window.
- D. Run the DBCC TRACEON 1222 command from a query window and review the SQL Server event log.
- E. Use the Job Activity monitor to review all processes that are actively running. Review the Job History to find out the duration of each step.

Correct Answer: D

QUESTION 28

You administer a Microsoft SQL Server 2012 database. You need to ensure that the size of the transaction log file does not exceed 2 GB. What should you do?

- A. Execute sp_configure 'max log size', 2G.
- B. Use the ALTER DATABASE...SET LOGFILE command along with the maxsize parameter.
- C. In SQL Server Management Studio, right-click the instance and select Database Settings. Set the maximum size of the file for the transaction log.
- D. In SQL Server Management Studio, right-click the database, select Properties, and then click Files. Open the Transaction log Autogrowth window and set the maximum size of the file.

Correct Answer: D

QUESTION 29

You administer a Microsoft SQL Server 2012 server. The MSSQLSERVER service uses a domain account named CONTOSO\SQLService. You plan to configure Instant File Initialization. You need to ensure that Data File Autogrow operations use Instant File Initialization. What should you do? Choose all that apply.

- A. Restart the SQL Server Agent Service.
- B. Disable snapshot isolation.
- C. Restart the SQL Server Service.
- D. Add the CONTOSO\SQLService account to the Perform Volume Maintenance Tasks local security policy.
- E. Add the CONTOSO\SQLService account to the Server Operators fixed server role.

F. Enable snapshot isolation.

Correct Answer: CD

QUESTION 30

You administer a Microsoft SQL Server 2012 failover cluster that contains two nodes named Node A and Node B. A single instance of SQL Server is installed on the cluster. An additional node named Node C has been added to the existing cluster. You need to ensure that the SQL Server instance can use all nodes of the cluster. What should you do?

- A. Run the New SQL Server stand-alone installation Wizard on Node C.
- B. Run the Add Node to SQL Server Failover Cluster Wizard on Node C.
- C. Use Node B to install SQL Server on Node C.
- D. Use Node A to install SQL Server on Node C.

Correct Answer: B

QUESTION 31

You administer a Microsoft SQL Server 2012 database. The database contains a Product table created by using the following definition:

```
CREATE TABLE dbo.Product
(
    ProductID INT PRIMARY KEY,
    Name VARCHAR(50) NOT NULL,
    Color VARCHAR(15) NOT NULL,
    Size VARCHAR(5) NOT NULL,
    Style CHAR(2) NULL,
    Weight DECIMAL(8,2) NULL);
```

You need to ensure that the minimum amount of disk space is used to store the data in the Product table. What should you do?

- A. Convert all indexes to Column Store indexes.
- B. Implement Unicode Compression.
- C. Implement row-level compression.
- D. Implement page-level compression.

Correct Answer: D

QUESTION 32

You administer a Microsoft SQL Server 2012 server that hosts a transactional database and a reporting database. The transactional database is updated through a web application and is operational throughout the day. The reporting database is only updated from the transactional database. The recovery model and backup schedule are configured as shown in the following table:

Database	Description
Transactional database	<p>Recovery model:</p> <ul style="list-style-type: none"> Full <p>Backup schedule:</p> <ul style="list-style-type: none"> Full database backup: midnight, daily Differential database backup: on the hour, every two hours starting at 02:00 hours except at 00:00 hours Log backup: every half hour, except at the times of full and differential backups
Reporting database	<p>Recovery model:</p> <ul style="list-style-type: none"> Simple <p>Backup schedule:</p> <ul style="list-style-type: none"> Full database backup: 01:00 hours daily Differential database backup: 13:00 hours daily <p>Data updates:</p> <ul style="list-style-type: none"> Changes in data are updated from the transactional database to the reporting database at 00:30 hours and at 12:30 hours The update takes 15 minutes

The differential backup of the **reporting** database fails. Then, the reporting database fails at **14:00** hours.

- You need to ensure that the reporting database is restored.
- You also need to ensure that data loss is minimal.

What should you do?

- Restore the latest full backup, and restore the latest differential backup. Then, restore the latest log backup.
- Perform a point-in-time restore. Restore the latest full backup.
- Restore the latest full backup, and restore the latest differential backup. Then, restore each log backup taken before the time of failure from the most recent differential backup.
- Restore the latest full backup. Then, restore the latest differential backup.

- E. Restore the latest full backup. Then, restore each differential backup taken before the time of failure from the most recent full backup.
- F. Perform a page restore.
- G. Perform a partial restore.
- H. Restore the latest full backup.

Correct Answer: H

QUESTION 33

You administer a Microsoft SQL Server 2012 server that hosts a transactional database and a reporting database. The transactional database is updated through a web application and is operational throughout the day. The reporting database is only updated from the transactional database. The recovery model and backup schedule are configured as shown in the following table:

Database	Description
Transactional database	<p>Recovery model:</p> <ul style="list-style-type: none"> Full <p>Backup schedule:</p> <ul style="list-style-type: none"> Full database backup: midnight, daily Differential database backup: on the hour, every two hours starting at 02:00 hours except at 00:00 hours Log backup: every half hour, except at the times of full and differential backups
Reporting database	<p>Recovery model:</p> <ul style="list-style-type: none"> Simple <p>Backup schedule:</p> <ul style="list-style-type: none"> Full database backup: 01:00 hours daily Differential database backup: 13:00 hours daily <p>Data updates:</p> <ul style="list-style-type: none"> Changes in data are updated from the transactional database to the reporting database at 00:30 hours and at 12:30 hours The update takes 15 minutes

At 14:00 hours, you discover that pages 71, 520, and 713 on one of the database files are corrupted on the **reporting** database.

- You need to ensure that the databases are restored.

- You also need to ensure that data loss is minimal.

What should you do?

- A. Perform a partial restore.
- B. Restore the latest full backup, and restore the latest differential backup. Then, restore each log backup taken before the time of failure from the most recent differential backup.
- C. Restore the latest full backup.
- D. Restore the latest full backup, and restore the latest differential backup. Then, restore the latest log backup.
- E. Perform a page restore.
- F. Restore the latest full backup. Then, restore each differential backup taken before the time of failure from the most recent full backup.
- G. Perform a point-in-time restore.
- H. Restore the latest full backup. Then, restore the latest differential backup.

Correct Answer: H

QUESTION 34

You administer a Microsoft SQL Server 2012 server that hosts a transactional database and a reporting database. The transactional database is updated through a web application and is operational throughout the day. The reporting database is only updated from the transactional database. The recovery model and backup schedule are configured as shown in the following table:

Database	Description
Transactional database	<p>Recovery model:</p> <ul style="list-style-type: none"> • Full <p>Backup schedule:</p> <ul style="list-style-type: none"> • Full database backup: midnight, daily • Differential database backup: on the hour, every two hours starting at 02:00 hours except at 00:00 hours • Log backup: every half hour, except at the times of full and differential backups
Reporting database	<p>Recovery model:</p> <ul style="list-style-type: none"> • Simple <p>Backup schedule:</p> <ul style="list-style-type: none"> • Full database backup: 01:00 hours daily • Differential database backup: 13:00 hours daily <p>Data updates:</p> <ul style="list-style-type: none"> • Changes in data are updated from the transactional database to the reporting database at 00:30 hours and at 12:30 hours • The update takes 15 minutes

At 16:20 hours, you discover that pages 17, 137, and 205 on one of the database files are corrupted on the **transactional** database.

- You need to ensure that the transactional database is restored.
- You also need to ensure that data loss is minimal.

What should you do?

- Perform a partial restore.
- Restore the latest full backup, and restore the latest differential backup. Then, restore each log backup taken before the time of failure from the most recent differential backup.
- Perform a point-in-time restore.
- Restore the latest full backup.
- Restore the latest full backup, and restore the latest differential backup. Then, restore the latest log backup.
- Perform a page restore.
- Restore the latest full backup. Then, restore each differential backup taken before the time of failure from the most recent full backup.
- Restore the latest full backup. Then, restore the latest differential backup.

Correct Answer: F

QUESTION 35

You administer a Microsoft SQL Server 2012 server that hosts a transactional database and a reporting database. The transactional database is updated through a web application and is operational throughout the day. The reporting database is only updated from the transactional database. The recovery model and backup schedule are configured as shown in the following table:

Database	Description
Transactional database	<p>Recovery model:</p> <ul style="list-style-type: none"> Full <p>Backup schedule:</p> <ul style="list-style-type: none"> Full database backup: midnight, daily Differential database backup: on the hour, every two hours starting at 02:00 hours except at 00:00 hours Log backup: every half hour, except at the times of full and differential backups
Reporting database	<p>Recovery model:</p> <ul style="list-style-type: none"> Simple <p>Backup schedule:</p> <ul style="list-style-type: none"> Full database backup: 01:00 hours daily Differential database backup: 13:00 hours daily <p>Data updates:</p> <ul style="list-style-type: none"> Changes in data are updated from the transactional database to the reporting database at 00:30 hours and at 12:30 hours The update takes 15 minutes

One of the hard disk drives that stores the **reporting** database fails at **16:40** hours.

- You need to ensure that the reporting database is restored.
- You also need to ensure that data loss is minimal.

What should you do?

- Restore the latest full backup. Then, restore each differential backup taken before the time of failure from the most recent full backup.
- Perform a partial restore.

- C. Restore the latest full backup, and restore the latest differential backup. Then, restore the latest log backup.
- D. Perform a point-in-time restore.
- E. Restore the latest full backup.
- F. Perform a page restore.
- G. Restore the latest full backup, and restore the latest differential backup. Then, restore each log backup taken before the time of failure from the most recent differential backup.
- H. Restore the latest full backup. Then, restore the latest differential backup.

Correct Answer: H

QUESTION 36

You administer a Microsoft SQL Server 2012 instance that contains a financial database hosted on a storage area network (SAN). The financial database has the following characteristics:

- A data file of 2 terabytes is located on a dedicated LUN (drive D).
- A transaction log of 10 GB is located on a dedicated LUN (drive E).
- Drive D has 1 terabyte of free disk space.
- Drive E has 5 GB of free disk space.

The database is continually modified by users during business hours from Monday through Friday between 09:00 hours and 17:00 hours. Five percent of the existing data is modified each day. The Finance department loads large CSV files into a number of tables each business day at 11:15 hours and 15:15 hours by using the BCP or BULK INSERT commands. Each data load adds 3 GB of data to the database. These data load operations must occur in the minimum amount of time. A full database backup is performed every Sunday at 10:00 hours. Backup operations will be performed every two hours (11:00, 13:00, 15:00, and 17:00) during business hours. You need to ensure that your backup will continue if any invalid checksum is encountered. Which backup option should you use?

- A. STANDBY
- B. Differential
- C. FULL
- D. CHECKSUM
- E. BULK_LOGGED
- F. CONTINUE_AFTER_ERROR
- G. SIMPLE
- H. DBO_ONLY
- I. COPY_ONLY
- J. SKIP
- K. RESTART
- L. Transaction log
- M. NO_CHECKSUM

N. NORECOVERY

Correct Answer: F

QUESTION 37

You administer a Microsoft SQL Server 2012 instance that contains a financial database hosted on a storage area network (SAN). The financial database has the following characteristics:

- A data file of 2 terabytes is located on a dedicated LUN (drive D).
- A transaction log of 10 GB is located on a dedicated LUN (drive E).
- Drive D has 1 terabyte of free disk space.
- Drive E has 5 GB of free disk space.

The database is continually modified by users during business hours from Monday through Friday between 09:00 hours and 17:00 hours. Five percent of the existing data is modified each day. The Finance department loads large CSV files into a number of tables each business day at 11:15 hours and 15:15 hours by using the BCP or BULK INSERT commands. Each data load adds 3 GB of data to the database. These data load operations must occur in the minimum amount of time. A full database backup is performed every Sunday at 10:00 hours. Backup operations will be performed every two hours (11:00, 13:00, 15:00, and 17:00) during business hours. On Wednesday at 10:00 hours, the development team requests you to refresh the database on a development server by using the most recent version. You need to perform a full database backup that will be restored on the development server. Which backup option should you use?

- A. NORECOVERY
- B. FULL
- C. NO_CHECKSUM
- D. CHECKSUM
- E. Differential
- F. BULK_LOGGED
- G. STANDBY
- H. RESTART
- I. SKIP
- J. Transaction log
- K. DBO ONLY
- L. COPY_ONLY
- M. SIMPLE
- N. CONTINUE AFTER ERROR

Correct Answer: J

QUESTION 38

You administer a Microsoft SQL Server 2012 instance that contains a financial database hosted on a storage area network (SAN). The financial database has the following characteristics:

- A data file of 2 terabytes is located on a dedicated LUN (drive D).
- A transaction log of 10 GB is located on a dedicated LUN (drive E).
- Drive D has 1 terabyte of free disk space.
- Drive E has 5 GB of free disk space.

The database is continually modified by users during business hours from Monday through Friday between 09:00 hours and 17:00 hours. Five percent of the existing data is modified each day. The Finance department loads large CSV files into a number of tables each business day at 11:15 hours and 15:15 hours by using the BCP or BULK INSERT commands. Each data load adds 3 GB of data to the database. These data load operations must occur in the minimum amount of time. A full database backup is performed every Sunday at 10:00 hours. Backup operations will be performed every two hours (11:00, 13:00, 15:00, and 17:00) during business hours. You need to ensure that the minimum amount of data is lost. Which recovery model should the database use?

- A. FULL
- B. DBO_ONLY
- C. CONTINUE_AFTER_ERROR
- D. CHECKSUM
- E. NO_CHECKSUM
- F. SIMPLE
- G. Transaction log
- H. SKIP
- I. RESTART
- J. COPY_ONLY
- K. NORECOVERY
- L. BULK_LOGGED
- M. Differential
- N. STANDBY

Correct Answer: L

QUESTION 39

You administer a Microsoft SQL Server 2012 instance that contains a financial database hosted on

a storage area network (SAN). The financial database has the following characteristics:

- A data file of 2 terabytes is located on a dedicated LUN (drive D).
- A transaction log of 10 GB is located on a dedicated LUN (drive E).
- Drive D has 1 terabyte of free disk space.
- Drive E has 5 GB of free disk space.

The database is continually modified by users during business hours from Monday through Friday between 09:00 hours and 17:00 hours. Five percent of the existing data is modified each day. The Finance department loads large CSV files into a number of tables each business day at 11:15 hours and 15:15 hours by using the BCP or BULK INSERT commands. Each data load adds 3 GB of data to the database. These data load operations must occur in the minimum amount of time. A full database backup is performed every Sunday at 10:00 hours. Backup operations will be performed every two hours (11:00, 13:00, 15:00, and 17:00) during business hours. You need to ensure that the backup size is as small as possible. Which backup should you perform every two hours?

- A. BULK_LOGGED
- B. NO_CHECKSUM
- C. FULL
- D. RESTART
- E. CHECKSUM
- F. STANDBY
- G. DBO.ONLY
- H. NORECOVERY
- I. SIMPLE
- J. Transaction log
- K. Differential
- L. CONTINUE_AFTER_ERROR
- M. COPY_ONLY
- N. SKIP

Correct Answer: J

QUESTION 40

You administer a Microsoft SQL Server 2012 database named Contoso on a server named Server01. You need to write messages to the Application Log when users are added to or removed from a

fixed server role in Server01. What should you create?

- A. a Database Audit Specification
- B. a Policy
- C. an Alert
- D. a SQL Profiler Trace
- E. a Resource Pool
- F. an Extended Event session
- G. a Server Audit Specification

Correct Answer: G

QUESTION 41

You administer a Microsoft SQL Server 2012 database named Contoso on a server named Server01. You need to be notified immediately when fatal errors occur on Server01. What should you create?

- A. an Alert
- B. a Server Audit Specification
- C. an Extended Event session
- D. a Resource Pool
- E. a Policy
- F. a SQL Profiler Trace
- G. a Database Audit Specification

Correct Answer: A

QUESTION 42

You administer a Microsoft SQL Server 2012 database named Contoso on a server named Server01. You need to diagnose deadlocks that happen when executing a specific set of stored procedures by recording events and playing them back on a different test server. What should you create?

- A. an Extended Event session
- B. a Policy
- C. a Database Audit Specification
- D. an Alert
- E. a Server Audit Specification
- F. a SQL Profiler Trace
- G. a Resource Pool

Correct Answer: F

QUESTION 43

You administer a Microsoft SQL Server 2012 database named Contoso on a server named Server01. You need to prevent users from disabling server audits in Server01. What should you create?

- A. an Alert
- B. a Resource Pool
- C. an Extended Event session
- D. a Database Audit Specification
- E. a SQL Profiler Trace
- F. a Server Audit Specification
- G. a Policy

Correct Answer: G

QUESTION 44

You administer a SQL Server 2012 server that contains a database named SalesDb. SalesDb contains a schema named Customers that has a table named Regions. A user named UserA is a member of a role named Sales. UserA is granted the Select permission on the Regions table. The Sales role is granted the Select permission on the Customers schema. You need to ensure that the Sales role, including UserA, is disallowed to select from any of the tables in the Customers schema. Which Transact-SQL statement should you use?

- A. REVOKE SELECT ON Schema::Customers FROM UserA
- B. DENY SELECT ON Object::Regions FROM UserA
- C. EXEC sp_addrolemember 'Sales', 'UserA'
- D. DENY SELECT ON Object::Regions FROM Sales
- E. REVOKE SELECT ON Object::Regions FROM UserA
- F. DENY SELECT ON Schema::Customers FROM Sales
- G. DENY SELECT ON Schema::Customers FROM UserA
- H. EXEC sp_droprolemember 'Sales', 'UserA'
- I. REVOKE SELECT ON Object::Regions FROM Sales
- J. REVOKE SELECT ON Schema::Customers FROM Sales

Correct Answer: F

QUESTION 45

You administer a SQL Server 2012 server that contains a database named SalesDb. SalesDb contains a schema named Customers that has a table named Regions. A user named UserA is a member of a role named Sales. UserA is granted the Select permission on the Regions table. The Sales role is granted the Select permission on the Customers schema. You need to ensure that UserA is disallowed to select from any of the tables in the Customers schema. Which Transact-SQL

statement should you use?

- A. DENY SELECT ON Object::Regions FROM UserA
- B. DENY SELECT ON Object::Regions FROM Sales
- C. REVOKE SELECT ON Schema::Customers FROM Sales
- D. REVOKE SELECT ON Schema::Customers FROM UserA
- E. REVOKE SELECT ON Object::Regions FROM Sales
- F. REVOKE SELECT ON Object::Regions FROM UserA
- G. DENY SELECT ON Schema::Customers FROM Sales
- H. DENY SELECT ON Schema::Customers FROM UserA
- I. EXEC sp_addrolemember 'Sales', 'UserA'
- J. EXEC sp_droprolemember 'Sales', 'UserA'

Correct Answer: H

QUESTION 46

You administer a SQL 2012 server that contains a database named SalesDb. SalesDb contains a schema named Customers that has a table named Regions. A user named UserA is a member of a role named Sales. UserA is granted the Select permission on the Regions table. The Sales role is granted the Select permission on the Customers schema. You need to remove the Select permission for UserA on the Regions table. You also need to ensure that UserA can still access all the tables in the Customers schema, including the Regions table, through the Sales role permissions. Which Transact-SQL statement should you use?

- A. DENY SELECT ON Object::Regions FROM UserA
- B. DENY SELECT ON Schema::Customers FROM UserA
- C. EXEC sp_addrolemember 'Sales', 'UserA'
- D. REVOKE SELECT ON Object::Regions FROM UserA
- E. REVOKE SELECT ON Object::Regions FROM Sales
- F. EXEC sp_droproiemember 'Sales', 'UserA'
- G. REVOKE SELECT ON Schema::Customers FROM UserA
- H. DENY SELECT ON Object::Regions FROM Sales
- I. DENY SELECT ON Schema::Customers FROM Sales
- J. REVOKE SELECT ON Schema::Customers FROM Sales

Correct Answer: D

QUESTION 47

You administer a SQL Server 2012 server that contains a database named SalesDb. SalesDb contains a schema named Customers that has a table named Regions. A user named UserA is a member of a role named Sales. UserA is granted the Select permission on the Regions table and the Sales role is granted the Select permission on the Customers schema. You need to ensure that the Sales role, including UserA, is disallowed to select from the Regions table. Which Transact-SQL statement

should you use?

- A. REVOKE SELECT ON Schema::Customers FROM UserA
- B. REVOKE SELECT ON Object::Regions FROM UserA
- C. EXEC sp_addrolemember 'Sales', 'UserA'
- D. DENY SELECT ON Schema::Customers FROM Sales
- E. EXEC sp_droprolemember 'Sales', 'UserA'
- F. REVOKE SELECT ON Schema::Customers FROM Sales
- G. DENY SELECT ON Object::Regions FROM UserA
- H. REVOKE SELECT ON Object::Regions FROM Sales
- I. DENY SELECT ON Schema::Customers FROM UserA
- J. DENY SELECT ON Object::Regions FROM Sales

Correct Answer: J

QUESTION 48

You administer all the deployments of Microsoft SQL Server 2012 in your company. You need to ensure that an OLTP database that includes up-to-the-minute reporting requirements can be off-loaded from the primary database to another server. You also need to be able to add indexes to the secondary database. Which configuration should you use?

- A. Two servers configured in different data centers
SQL Server Availability Group configured in Synchronous-Commit Availability Mode
One server configured as an Active Secondary
- B. Two servers configured in the same data center
SQL Server Availability Group configured in Asynchronous-Commit Availability Mode
One server configured as an Active Secondary
- C. Two servers configured in the same data center
A primary server configured to perform log-shipping every 10 minutes
A backup server configured as a warm standby
- D. Two servers configured in different data centers
SQL Server Availability Group configured in Asynchronous-Commit Availability Mode
- E. Two servers configured on the same subnet
SQL Server Availability Group configured in Synchronous-Commit Availability Mode
- F. SQL Server that includes an application database configured to perform transactional replication
- G. SQL Server that includes an application database configured to perform snapshot replication
- H. Two servers configured in a Windows Failover Cluster in the same data center
SQL Server configured as a clustered instance

Correct Answer: F

QUESTION 49

You administer all the deployments of Microsoft SQL Server 2012 in your company. You need to ensure that data changes are sent to a non-SQL Server database server in near real time. You also need to ensure that data on the primary server is unaffected. Which configuration should you use?

- A. SQL Server that includes an application database configured to perform transactional replication
- B. Two servers configured in different data centers
SQL Server Availability Group configured in Asynchronous-Commit Availability Mode
- C. Two servers configured in different data centers
SQL Server Availability Group configured in Synchronous-Commit Availability Mode
One server configured as an Active Secondary
- D. SQL Server that includes an application database configured to perform snapshot replication
- E. Two servers configured in the same data center
SQL Server Availability Group configured in Asynchronous-Commit Availability Mode
One server configured as an Active Secondary
- F. Two servers configured on the same subnet
SQL Server Availability Group configured in Synchronous-Commit Availability Mode
- G. Two servers configured in a Windows Failover Cluster in the same data center
SQL Server configured as a clustered instance
- H. Two servers configured in the same data center
A primary server configured to perform log-shipping every 10 minutes
A backup server configured as a warm standby

Correct Answer: A

QUESTION 50

You administer all the deployments of Microsoft SQL Server 2012 in your company. A database contains a large product catalog that is updated periodically. You need to be able to send the entire product catalog to all branch offices on a monthly basis. Which configuration should you use?

- A. Two servers configured in the same data center
A primary server configured to perform log-shipping every 10 minutes
A backup server configured as a warm standby
- B. SQL Server that includes an application database configured to perform transactional replication
- C. Two servers configured in the same data center
SQL Server Availability Group configured in Asynchronous-Commit Availability Mode
One server configured as an Active Secondary
- D. Two servers configured in a Windows Failover Cluster in the same data center
SQL Server configured as a clustered instance
- E. SQL Server that includes an application database configured to perform snapshot replication

- F. Two servers configured in different data centers
SQL Server Availability Group configured in Synchronous-Commit Availability Mode
One server configured as an Active Secondary
- G. Two servers configured on the same subnet
SQL Server Availability Group configured in Synchronous-Commit Availability Mode
- H. Two servers configured in different data centers
SQL Server Availability Group configured in Asynchronous-Commit Availability Mode

Correct Answer: E

QUESTION 51

You administer all the deployments of Microsoft SQL Server 2012 in your company. You need to ensure that an OLTP database that uses a storage area network (SAN) remains available if any of the servers fail. You also need to minimize the amount of storage used by the database. Which configuration should you use?

- A. Two servers configured in different data centers
SQL Server Availability Group configured in Synchronous-Commit Availability Mode
One server configured as an Active Secondary
- B. SQL Server that includes an application database configured to perform transactional replication
- C. Two servers configured in the same data center
SQL Server Availability Group configured in Asynchronous-Commit Availability Mode
One server configured as an Active Secondary
- D. Two servers configured in different data centers
SQL Server Availability Group configured in Asynchronous-Commit Availability Mode
- E. Two servers configured in the same data center
A primary server configured to perform log-shipping every 10 minutes
A backup server configured as a warm standby
- F. Two servers configured on the same subnet
SQL Server Availability Group configured in Synchronous-Commit Availability Mode
- G. SQL Server that includes an application database configured to perform snapshot replication
- H. Two servers configured in a Windows Failover Cluster in the same data center
SQL Server configured as a clustered instance

Correct Answer: H

QUESTION 52

You administer a Microsoft SQL Server 2012 instance. After a routine shutdown, the drive that contains tempdb fails. You need to be able to start the SQL Server. What should you do?

- A. Modify tempdb location in startup parameters.

- B. Start SQL Server in minimal configuration mode.
- C. Start SQL Server in single-user mode.
- D. Configure SQL Server to bypass Windows application logging.

Correct Answer: B

QUESTION 53

You administer a single server that contains a Microsoft SQL Server 2012 default instance. You plan to install a new application that requires the deployment of a database on the server. The application login requires sysadmin permissions. You need to ensure that the application login is unable to access other production databases. What should you do?

- A. Use the SQL Server default instance and configure an affinity mask.
- B. Install a new named SQL Server instance on the server.
- C. Use the SQL Server default instance and enable Contained Databases.
- D. Install a new default SQL Server instance on the server.

Correct Answer: B

QUESTION 54

You administer a Microsoft SQL Server 2012 Enterprise Edition server that uses 64 cores. You discover performance issues when large amounts of data are written to tables under heavy system load. You need to limit the number of cores that handle I/O. What should you configure?

- A. Processor affinity
- B. Lightweight pooling
- C. Max worker threads
- D. I/O affinity

Correct Answer: D

QUESTION 55

You administer a Microsoft SQL Server 2012 instance named SQL2012 that hosts an OLTP database of 1 terabyte in size. The database is modified by users only from Monday through Friday from 09:00 hours to 17:00 hours. Users modify more than 30 percent of the data in the database during the week. Backups are performed as shown in the following schedule:

Type	Frequency
Full	Sunday at 20:00 hours
Differential	Monday through Friday at 20:00 hours
Log	Monday through Friday between 08:00 hours and 18:00 hours

The Finance department plans to execute a batch process every Saturday at 09:00 hours.

- The batch process will take a maximum of 8 hours to complete.
- The batch process will update three tables that are 10 GB in size.
- The batch process will update these tables multiple times.

When the batch process completes, the Finance department runs a report to find out whether the batch process has completed correctly. You need to ensure that if the Finance department disapproves the batch process, the batch operation can be rolled back in the minimum amount of time. What should you do on Saturday?

- A. Perform a differential backup at 08:59 hours.
- B. Record the LSN of the transaction log at 08:59 hours. Perform a transaction log backup at 17:01 hours.
- C. Create a database snapshot at 08:59 hours.
- D. Record the LSN of the transaction log at 08:59 hours. Perform a transaction log backup at 08:59 hours.
- E. Create a marked transaction in the transaction log at 08:59 hours. Perform a transaction log backup at 17:01 hours.
- F. Create a marked transaction in the transaction log at 08:59 hours. Perform a transaction log backup at 08:59 hours.

Correct Answer: C

QUESTION 56

You administer a Microsoft SQL Server 2012 instance. The instance contains a database that supports a retail sales application. The application generates hundreds of transactions per second and is online 24 hours per day and 7 days per week. You plan to define a backup strategy for the database. You need to ensure that the following requirements are met:

- No more than 5 minutes worth of transactions are lost.
- Data can be recovered by using the minimum amount of administrative effort.

What should you do? Choose all that apply.

- A. Configure the database to use the SIMPLE recovery model.
- B. Create a DIFFERENTIAL database backup every 4 hours.
- C. Create a LOG backup every 5 minutes.
- D. Configure the database to use the FULL recovery model.
- E. Create a FULL database backup every 24 hours.
- F. Create a DIFFERENTIAL database backup every 24 hours.

Correct Answer: BCDE

QUESTION 57

You administer a Microsoft SQL Server 2012 database that contains a table named OrderDetail. You discover that the NCI_OrderDetail_CustomerID non-clustered index is fragmented.

- You need to reduce fragmentation.
- You need to achieve this goal without taking the index offline.

Which Transact-SQL batch should you use?

- A. CREATE INDEX NCI_OrderDetail_CustomerID ON OrderDetail.CustomerID WITH DROP EXISTING
- B. ALTER INDEX NCI_OrderDetail_CustomerID ON OrderDetail.CustomerID REORGANIZE
- C. ALTER INDEX ALL ON OrderDetail REBUILD
- D. ALTER INDEX NCI_OrderDetail_CustomerID ON OrderDetail.CustomerID REBUILD

Correct Answer: B

QUESTION 58

You administer a Microsoft SQL Server database named Sales. The database is 3 terabytes in size. The Sales database is configured as shown in the following table.

Filegroup	File
PRIMARY	<ul style="list-style-type: none">• Sales.mdf
XACTIONS	<ul style="list-style-type: none">• Sales_1.ndf• Sales_2.ndf• Sales_3.ndf
ARCHIVES	<ul style="list-style-type: none">• SalesArch_1.ndf• SalesArch_2.ndf

You discover that all files except Sales_2.ndf are corrupt. You need to recover the corrupted data in the minimum amount of time. What should you do?

- A. Perform a restore from a full backup.
- B. Perform a transaction log restore.
- C. Perform a file restore.
- D. Perform a filegroup restore.

Correct Answer: A

QUESTION 59

You administer a Microsoft SQL Server 2012 server. You plan to deploy new features to an application. You need to evaluate existing and potential clustered and non-clustered indexes that will improve performance. What should you do?

- A. Query the sys.dm_db_index_usage_stats DMV.
- B. Query the sys.dm_db_missing_index_details DMV.
- C. Use the Database Engine Tuning Advisor.
- D. Query the sys.dm_db_missing_index_columns DMV.

Correct Answer: C

QUESTION 60

You administer a Microsoft SQL Server 2012. A process that normally runs in less than 10 seconds has been running for more than an hour. You examine the application log and discover that the process is using session ID 60. You need to find out whether the process is being blocked. Which

Transact-SQL statement should you use?

- A. EXEC sp_who 60
- B. SELECT * FROM sys.dm_exec_sessions WHERE sessionid = 60
- C. EXEC sp_helpdb 60
- D. DBCC INPUTBUFFER (60)

Correct Answer: B

QUESTION 61

You administer a Microsoft SQL Server 2012 instance that has several SQL Server Agent jobs configured. When SQL Server Agent jobs fail, the error messages returned by the job steps do not provide the required detail. The following error message is an example error message:

"The job failed. The Job was invoked by User CONTOSO\ServiceAccount. The last step to run was step 1 (Subplan_1)."

You need to ensure that all available details of the job step failures for SQL Server Agent jobs are retained. What should you do?

- A. Configure output files.
- B. Expand agent logging to include information from all events.
- C. Disable the Limit size of job history log feature.
- D. Configure event forwarding.

Correct Answer: B

QUESTION 62

You administer a Microsoft SQL Server 2012 instance. You need to configure a new database to support FILETABLES. What should you do? Choose all that apply.

- A. Disable FILESTREAM on the Database.
- B. Enable FILESTREAM on the Server Instance.
- C. Configure the Database for Partial Containment.
- D. Create a non-empty FILESTREAM file group.
- E. Enable Contained Databases on the Server Instance.
- F. Set the FILESTREAM directory name on the Database.

Correct Answer: BDF

QUESTION 63

You administer a Microsoft SQL Server 2012 database. You configure Transparent Data Encryption (TDE) on the Orders database by using the following statements:

```
CREATE MASTER KEY ENCRYPTION BY PASSWORD = 'MyPassword1!'
CREATE CERTIFICATE TDE_Certificate WITH SUBJECT = 'TDE Certificate';

BACKUP CERTIFICATE TDE_Certificate TO FILE = 'd:\TDE_Certificate.cer'
WITH PRIVATE KEY (FILE = 'D:\TDE_Certificate.key', ENCRYPTION BY PASSWORD =
'MyPassword1!');

CREATE DATABASE ENCRYPTION KEY
WITH ALGORITHM = AES_256
ENCRYPTION BY SERVER CERTIFICATE TDE_Certificate;

ALTER DATABASE Orders SET ENCRYPTION ON;
```

You attempt to restore the Orders database and the restore fails. You copy the encryption file to the original location. A hardware failure occurs and so a new server must be installed and configured. After installing SQL Server to the new server, you restore the Orders database and copy the encryption files to their original location. However, you are unable to access the database. You need to be able to restore the database. Which Transact-SQL statement should you use before attempting the restore?

- A. ALTER DATABASE Master SET ENCRYPTION OFF;
- B. CREATE CERTIFICATE TDE_Certificate FROM FILE = 'd:\TDE_Certificate.cer'
WITH PRIVATE KEY (FILE = 'D:\TDE_Certificate.key', DECRYPTION BY PASSWORD =
'MyPassword1!');
- C. CREATE CERTIFICATE TDE_Certificate WITH SUBJECT = 'TDE Certificate';
USE Orders;
CREATE DATABASE ENCRYPTION KEY
WITH ALGORITHM = AES_256
ENCRYPTION BY SERVER CERTIFICATE TDE_Certificate;
- D. CREATE CERTIFICATE TDE_Certificate FROM FILE = 'd:\TDE_Certificate.cer';

Correct Answer: B

QUESTION 64

You administer two instances of Microsoft SQL Server 2012. You deploy an application that uses a database on the named instance. The application is unable to connect to the database on the named instance. You need to ensure that the application can connect to the named instance. What

should you do?

- A. Configure the application as data-tiered.
- B. Open port 1433 on the Windows firewall on the server.
- C. Configure the named SQL Server instance to use an account that is a member of the Domain Admins group.
- D. Start the SQL Server Browser Service.

Correct Answer: D

QUESTION 65

You administer a Microsoft SQL Server 2012 database. The database contains a customer table created by using the following definition:

```
CREATE TABLE dbo.Customer
(
  CustomerID INT PRIMARY KEY,
  CustomerName VARCHAR(100) NOT NULL,
  CustomerAddress1 CHAR(200) NOT NULL,
  CustomerAddress2 CHAR(200) NULL,
  CustomerCity VARCHAR(100) NOT NULL,
  CustomerPostalCode CHAR(5) NOT NULL);
```

You need to ensure that the minimum amount of disk space is used to store the data in the customer table. What should you do?

- A. Implement row-level compression.
- B. Implement page-level compression.
- C. Convert all indexes to Column Store indexes.
- D. Implement Unicode compression.

Correct Answer: B

QUESTION 66

You administer a single server that contains a Microsoft SQL Server 2012 default instance on which several production databases have been deployed. You plan to install a new ticketing application that requires the deployment of a database on the server. The SQL login for this application requires

sysadmin permissions. You need to ensure that the login for the ticketing application cannot access other production databases. What should you do?

- A. Use the SQL Server default instance and enable Contained Databases.
- B. Use the SQL Server default instance and configure a user-defined server role. Add the login for the ticketing application to this role.
- C. Install a new named SQL Server instance on the server.
- D. Install a new default SQL Server instance on the server.

Correct Answer: C

QUESTION 67

You need to install the Power View Components on a stand-alone server. Which three actions should you perform (and sorting)?

- A. Install SQL 2012 Analysis Services.
- B. Install SQL 2012 Reporting Services.
- C. Install SQL 2012 Database Engine and PowerPivot for SharePoint.
- D. Configure SQL Server Reporting Services and Add-in in SharePoint mode.
- E. Configure SQL Server reporting services in native mode.

Correct Answer: BCD

QUESTION 68

You plan to migrate the db to azure. You verify that all objects are valid for azure sql database. You need to ensure that users and logins are migrated to azure. What should u do?

- A. Use the Copy Database wizard.
- B. Use the Database Transfer wizard.
- C. Use the SQL Management Studio to deploy the db to azure.
- D. Back up the databasae from the local server and restore it to azure.

Correct Answer: C

QUESTION 69

You maintain several dbs on a 64 bit ms sql 2005 instance. You need to migrate the dbs to sql 2012 on the same server. You also need to ensure functionality in sql 2012 can be used in the db after migration. What should you do? (Each correct answer presents part of the solution.)

- A. Perform an in-place upgrade to 64-bit in sql 2012.
- B. Perform a side by side installation of a 64 bit sql 2012.
- C. Perform a side by side installation of a 32 bit sql 2012.
- D. Detach the old instance and attach it to the new one.
- E. Change the compatibility level of the db.

Correct Answer: BDE

QUESTION 70

You create a new user named UserA. You need to ensure that UserA is able to create SQL Server Agent jobs and to execute SQL Server Agent jobs. To which role should you add UserA?

- A. Securityadmin
- B. RSExecRole
- C. SQLAgentUserRole
- D. DatabaseMailUserRole

Correct Answer: C

QUESTION 71

You administer a database that has User A, B and C. User A must be able to create new tables and stored procedures, User B must be able to select, update, delete and insert data, User C must be able to provide windows logins to the database.

db_accessadmin
db_ddladmin
db_datawriter
db_datareader
db_owner

To which role or roles should you add the users?

- A. ddladmin
- B. datawriter, datareader
- C. accessadmin
- D. None of the above

Correct Answer: D

QUESTION 72

DRAG DROP

You administer three Microsoft SQL Server 2012 servers named ServerA, ServerB, and ServerC. ServerA is the acting principal and ServerB is the mirror. You need to add ServerC as a witness to the existing mirroring session between ServerA and ServerB. You need to achieve this goal without delaying synchronization. Which three actions should you perform in sequence?

To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Build List and Reorder:

Ordered List Title	Answer Choices Title
<div style="border: 1px solid black; height: 300px; width: 100%;"></div>	<div> <p>On Server C, Create an Endpoint for use by the witness.</p> <p>Ensure that the same Windows Login exists on each server and grant Connect permissions to each servers endpoint.</p> <p>On Server A, alter the principal database to use the endpoint on server C as the witness.</p> <p>On Server A, pause the mirroring session between Server A and Server B</p> <p>On Server B, alter the principle database to use the endpoint on Server C as the witness</p> <p>Ensure that the same Proxy exists on each server and grant Connect permissions to each server's endpoint.</p> <p>On Server A, resume the mirroring session between Server A and Server B.</p> </div>

<< Move Remove >>

Correct Answer:

On Server C, Create an Endpoint for use by the witness.

Ensure that the same Windows Login exists on each server and grant Connect permissions to each servers endpoint.

On Server A, alter the principal database to use the endpoint on server C as the witness.

QUESTION 73

DRAG AND DROP

You administer several Microsoft SQL Server 2012 servers. Your company has a number of offices across the world connected by using a wide area network (WAN). Connections between offices

vary significantly in both bandwidth and reliability. You need to identify the correct replication method for each scenario. What should you do?

To answer, drag the appropriate replication method or methods to the correct location or locations in the answer area. Each replication method may be used once, more than once, or not at all.

Select and Place:

Replication Method	Scenario	
Transactional Replication	Multiple databases on the same low-latency subnet must allow applications to write changes locally, and these changes must be replicated to all related databases.	
Peer-to-Peer Replication	An order summary table is repopulated once a week. This table must be replicated to all databases.	
Snapshot Replication	Field offices using unreliable connections keep a local copy of the product catalog and process orders locally. These orders must be periodically replicated to all other	
Merge Replication	Information in an order-tracking database must be replicated across a low-latency connection as changes occur to multiple reporting databases.	

Correct Answer:

Replication Method	Scenario	
	Multiple databases on the same low-latency subnet must allow applications to write changes locally, and these changes must be replicated to all related databases.	Peer-to-Peer Replication
	An order summary table is repopulated once a week. This table must be replicated to all databases.	Snapshot Replication
	Field offices using unreliable connections keep a local copy of the product catalog and process orders locally. These orders must be periodically replicated to all other	Merge Replication
	Information in an order-tracking database must be replicated across a low-latency connection as changes occur to multiple reporting databases.	Transactional Replication

QUESTION 74

DRAG AND DROP

You are a database administrator of a Microsoft SQL Server 2012 environment. The environment contains two servers named SQLServer01 and SQLServer02. The database Contoso exists on SQLServer01. You plan to mirror the Contoso database between SQLServer01 and SQLServer02 by

using database mirroring. You need to prepare the Contoso database for database mirroring. Which three actions should you perform in sequence?

To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Build List and Reorder:

Ordered List Title	Answer Choices Title
<div><div>▲▼</div><div></div></div>	<div>Backup Contoso on SQLServer01 by using a full backup.</div> <div>Backup Contoso on SQLServer01 by using a full backup followed by a transaction log backup by using the NORECOVERY option.</div> <div>Backup Contoso on SQLServer01 by using a transaction log backup. Restore the transaction log backup by using the RECOVERY option on SQLServer02.</div> <div>Backup Contoso on SQLServer01 by using a transaction log backup. Restore the transaction log backup by using the NORECOVERY option on SQLServer02.</div> <div>Restore the full database backup of Contoso by using the NORECOVERY option on SQLServer02 as Contoso.</div> <div>Restore the full database backup of Contoso by using the NORECOVERY option on SQLServer02 as Contoso_Mirror.</div>
	<div><< Move</div> <div>Remove >></div>

Correct Answer:

Backup Contoso on SQLServer01 by using a full backup.

Restore the full database backup of Contoso by using the NORECOVERY option on SQLServer02 as Contoso.

Backup Contoso on SQLServer01 by using a transaction log backup. Restore the transaction log backup by using the NORECOVERY option on SQLServer02.

QUESTION 75

DRAG AND DROP

You administer a Microsoft SQL Server 2012 environment that contains a production SQL Server 2005 instance named SQL2005 and a development SQL Server 2012 instance named SQL2012. The development team develops a new application that uses the SQL Server 2012 functionality. You are

planning to migrate a database from SQL2005 to SQL2012 so that the development team can test their new application. You need to migrate the database without affecting the production environment. Which three actions should you perform in sequence?

To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Build List and Reorder:

Ordered List Title	Answer Choices Title
<div><div>▲▼</div><div></div></div>	<div>Perform a transaction log backup on SQL2005.</div> <div>Perform a full database backup on SQL2005.</div> <div>Perform a VSS backup on the database on SQL2005.</div> <div>Restore the VSS backup on SQL2012.</div> <div>Restore the full database backup on SQL 2012.</div> <div>Restore the database backup and transaction log backup on SQL 2012.</div> <div>Change the compatibility level for the database to 120 on SQL2012.</div> <div>Change the compatibility level for the database to 110 on SQL2012.</div>

[<< Move](http://www.ensurepass.com)
[Remove >>](#)

Correct Answer:

Perform a full database backup on SQL2005.

Restore the full database backup on SQL 2012.

Change the compatibility level for the database to 110 on SQL2012.

QUESTION 76

DRAG AND DROP

You administer a Microsoft SQL Server 2012 database. You use an OrderDetail table that has the following definition:

```
CREATE TABLE [dbo].[OrderDetail]
(
    [SalesOrderID] [int] NOT NULL,
    [SalesOrderDetailID] [int] IDENTITY(1,1) NOT NULL,
    [CarrierTrackingNumber] [nvarchar] (25) NULL,
    [OrderQty] [smallint] NOT NULL,
    [ProductID] [int] NOT NULL,
    [SpecialOfferID] [int] NULL,
    [UnitPrice] [money] NOT NULL);
```

You need to create a non-clustered index on the SalesOrderID column in the OrderDetail table to include only rows that contain a value in the CarrierTrackingNumber column. Which four Transact-SQL statements should you use?

To answer, move the appropriate statements from the list of statements to the answer area and arrange them in the correct order.

Build List and Reorder:

Ordered List Title	Answer Choices Title
<div style="border: 1px solid black; height: 150px; width: 100%;"></div>	<div style="border: 1px solid black; padding: 5px;"> <p>WHERE</p> <p>FILTER ON</p> <p>CarrierTrackingNumber IS NOT NULL;</p> <p>ON dbo.OrderDetail(SalesOrderID)</p> <p>ON dbo.OrderDetail(SalesOrderID)</p> <p>AS FILTERED_INDEX</p> <p>CREATE NONCLUSTERED INDEX FIdx_CarrierTrackingNumber</p> <p>CREATE NONCLUSTERED FILTERED INDEX FIdx_CarrierTrackingNumber</p> </div>

<< Move Remove >>

Correct Answer:

```
CREATE NONCLUSTERED INDEX
FIdx_CarrierTrackingNumber
ON dbo.OrderDetail(SalesOrderID)
WHERE
CarrierTrackingNumber IS NOT NULL;
```

QUESTION 77

DRAG AND DROP

You administer a Microsoft SQL Server 2012 database. You use an OrderDetail table that has the following definition:


```
CREATE TABLE [dbo].[OrderDetail]
(
    [SalesOrderID] [int] NOT NULL,
    [SalesOrderDetailID] [int] IDENTITY(1,1) NOT NULL,
    [CarrierTrackingNumber] [nvarchar](25) NULL,
    [OrderQty] [smallint] NOT NULL,
    [ProductID] [int] NOT NULL,
    [SpecialOfferID] [int] NULL,
    [UnitPrice] [money] NOT NULL);
```

You need to create a non-clustered index on the SalesOrderID column in the OrderDetail table to include only rows that contain a value in the SpecialOfferID column. Which four Transact-SQL statements should you use?

To answer, move the appropriate statements from the list of statements to the answer area and arrange them in the correct order.

Build List and Reorder:

Ordered List Title	Answer Choices Title
<div style="border: 1px solid black; height: 150px; width: 100%;"></div>	<div style="border: 1px solid black; padding: 5px;"> <p>WHERE</p> <p>FILTER ON</p> <p>SpecialOfferID IS NOT NULL;</p> <p>ON dbo.OrderDetail(SalesOrderID)</p> <p>ON dbo.OrderDetail(SalesOrderID)</p> <p>AS FILTERED_INDEX</p> <p>CREATE NONCLUSTERED INDEX</p> <p>Flndx_SpecialOfferID</p> <p>CREATE NONCLUSTERED</p> <p>FILTERED INDEX</p> <p>Flndx_SpecialOfferID</p> </div>

<< Move Remove >>

Correct Answer:

```
CREATE NONCLUSTERED INDEX
Flndx_SpecialOfferID
ON dbo.OrderDetail(SalesOrderID)
WHERE
SpecialOfferID IS NOT NULL;
```

QUESTION 78

DRAG AND DROP

You administer a Microsoft SQL Server 2012 database. All database traffic to the SQL Server must be encrypted by using secure socket layer (SSL) certificates or the connection must be refused. Network administrators have deployed server certificates to the Windows store of all Windows

servers on the network from a trusted Certificate Authority. This is the only Certificate Authority allowed to distribute certificates on the network. You enable the Force Encryption flag for the MSSQLServer protocols, but client computers are unable to connect. They receive the following error message: "A connection was successfully established with the server, but then an error occurred during the pre-login handshake, (provider: SSL Provider, error: 0 - The certificate chain was issued by an authority that is not trusted.) (Microsoft SQL Server)" You notice the following entry in the SQL Server log: "A self-generated certificate was successfully loaded for encryption." You need to configure SQL Server to encrypt all client traffic across the network. You also need to ensure that client computers are able to connect to the server by using a trusted certificate. Which three actions should you perform in sequence?

To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Build List and Reorder:

Ordered List Title	Answer Choices Title
<div><div>▲▼</div><div></div></div>	<div>Restart the SQL Server.</div> <div>Leave the certificate blank in the drop-down list on the CERTIFICATES tab.</div> <div>Choose the new root-level certificate from the drop-down list on the CERTIFICATES tab.</div> <div>Install Certificate Services on the SQL Server, and create a new root-level certificate.</div> <div>From the SQL Configuration Manager on the SQL Server, open the PROTOCOLS properties for the SQL instance.</div> <div>Choose the server certificate provided by the network administrators from the drop-down list on the CERTIFICATES tab.</div> <div>From the SQL Configuration Manager on every client computer that will be connecting to SQL Server, open the PROTOCOLS properties for the SQL instance.</div>

[<< Move](http://www.ensurepass.com)
[Remove >>](#)

Correct Answer:

From the SQL Configuration Manager on the SQL Server, open the PROTOCOLS properties for the SQL instance.

Choose the server certificate provided by the network administrators from the drop-down list on the CERTIFICATES tab.

Restart the SQL Server.

QUESTION 79

DRAG AND DROP

You administer a Microsoft SQL Server 2012 server that has multiple databases. You need to ensure that users are unable to create stored procedures that begin with sp_. Which three actions should you perform in sequence?

To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Build List and Reorder:

Ordered List Title	Answer Choices Title
<div style="border: 1px solid black; height: 200px; width: 100%;"></div>	<div> <div>Enable StoredProcNamingPolicy.</div> <div>Evaluate StoredProcNamingPolicy.</div> <div>Create a Database Audit named StoredProcNamingConvention.</div> <div>Set the Filter to '@Name LIKE 'sp[_]%'.</div> <div>Create a Policy named StoredProcNamingPolicy.</div> <div>Set the Check condition to StoredProcNamingConvention and Evaluation Mode to On Demand.</div> <div>Create a Policy named StoredProcNamingPolicy.</div> <div>Set the Check condition to StoredProcNamingConvention and Evaluation Mode to On Change: Prevent.</div> <div>Create a Condition named StoredProcNamingConvention by using the Stored Procedure facet that has a single expression.</div> <div>Set the Field to @Name, Operator to NOT LIKE, and Value to 'sp[_]%'.</div> <div>Create a Condition named StoredProcNamingConvention by using the Stored Procedure facet that has a single expression.</div> <div>Set the Field to @Name, Operator to LIKE, and Value to 'sp[_]%'.</div> </div>

<< Move
Remove >>

Correct Answer:

Create a Condition named StoredProcNamingConvention by using the Stored Procedure facet that has a single expression.
Set the Field to @Name, Operator to LIKE, and Value to 'sp[_]%'.

Create a Policy named StoredProcNamingPolicy.
Set the Check condition to StoredProcNamingConvention and Evaluation Mode to On Change: Prevent.
Enable StoredProcNamingPolicy.

QUESTION 80

DRAG AND DROP

You administer a Microsoft SQL Server database. You want to import data from a text file to the database. You need to ensure that the following requirements are met:

- Data import is performed by using a stored procedure.
- Data is loaded as a unit and is minimally logged.

Which data import command and recovery model should you choose?

To answer, drag the appropriate data import command or recovery model to the appropriate location or locations in the answer area. Each data import command or recovery model may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Select and Place:

Command/Recovery Model Name	Command/Recovery Model
BCP	Data import command
BULK INSERT	Recovery model
Bulk-logged	
OPENDATASOURCE	
Full	

Correct Answer:

Command/Recovery Model Name	Command/Recovery Model
BCP	Data import command
BULK INSERT	BULK INSERT
Bulk-logged	Bulk-logged
OPENDATASOURCE	
Full	

QUESTION 81

You administer three Microsoft SQL Server 2005 servers named ServerA, ServerB, and ServerC.

- ServerA is primary
- ServerB is mirror
- ServerC is witness

You need to upgrade A and B to 2012. What should you do?

Choose 6 steps:

Correct Answer:

1. Remove ServerC from network
2. Upgrade ServerB
3. Failover ServerA to ServerB
4. Upgrade ServerA
5. Failover ServerB to ServerA
6. Add ServerC to network

QUESTION 82

DRAG AND DROP

You administer a Microsoft SQL Server 2012 database. The database is backed up according to the following schedule:

- Daily full backup at 23:00 hours.
- Differential backups on the hour, except at 23:00 hours.
- Log backups every 10 minutes from the hour, except on the hour.

The database uses the Full recovery model. A developer accidentally drops a number of tables and stored procedures from the database between 22:40 hours and 23:10 hours. You perform a database restore at 23:30 hours to recover the dropped table. You need to restore the database by using the minimum amount of administrative effort. You also need to ensure minimal data loss. Which three actions should you perform in sequence?

To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Build List and Reorder:

Ordered List Title	Answer Choices Title
<div style="border: 1px solid black; height: 150px; width: 100%;"></div>	<div style="border: 1px solid black; padding: 5px;"> <p>Restore the most recent full backup.</p> <p>Restore the full backup taken the previous night.</p> <p>Restore the differential backup taken at 22:00 hours.</p> <p>Restore the transaction log backup taken at 22:40 hours.</p> <p>Restore each transaction log backup taken from 22:00 till 22:40 hours.</p> <p>Restore each transaction log backup taken from the most recent full backup.</p> <p>Restore each differential database backup taken from the previous night's full backup.</p> <p>Restore each transaction log backup taken from the previous night's full backup till 22:40 hours.</p> </div>

<< Move Remove >>

Correct Answer:

Restore the full backup taken the previous night.

Restore the differential backup taken at 22:00 hours.

Restore each transaction log backup taken from 22:00 till 22:40 hours.

QUESTION 83

DRAG AND DROP

You administer a Microsoft SQL Server 2012 instance that contains a database of confidential data. You need to encrypt the database files at the page level. You also need to encrypt the transaction log files. Which four actions should you perform in sequence?

To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Build List and Reorder:

Ordered List Title	Answer Choices Title
<div><div>▲▼</div><div></div></div>	<div>Create a master key.</div> <div>Create a certificate in the user database protected by the master key.</div> <div>Create a certificate in the master database protected by the master key.</div> <div>Create a database encryption key in the user database and protect it by a password.</div> <div>Create a database encryption key in the master database and protect it by a password.</div> <div>Create a database encryption key in the user database and protect it by the certificate.</div> <div>Create a database encryption key in the master database and protect it by the certificate.</div> <div>Set the database option to enable encryption.</div>

[<< Move](http://www.ensurepass.com) [Remove >>](#)

Correct Answer:

Create a master key.

Create a certificate in the master database protected by the master key.

Create a database encryption key in the user database and protect it by the certificate.

Set the database option to enable encryption.

QUESTION 84

DRAG AND DROP

You administer a Microsoft SQL Server 2012 server that has a database named Contoso. The Contoso database has a table named ProductPrices in a schema named Sales. You need to create a script that writes audit events into the application log whenever data in the ProductPrices table is updated. Which four Transact-SQL statements should you use?

To answer, move the appropriate statements from the list of statements to the answer area and arrange them in the correct order.

Build List and Reorder:

Ordered List Title	Answer Choices Title
<div style="border: 1px solid black; height: 150px; width: 100%;"></div>	<div style="border: 1px solid black; padding: 5px;"> <p>CREATE DATABASE AUDIT SPECIFICATION C_AuditSpec FOR SERVER AUDIT C_Audit ADD (UPDATE ON Sales.ProductPrices BY dbo)</p> <p>ALTER DATABASE AUDIT SPECIFICATION C_AuditSpec WITH (STATE=ON)</p> <p>USE Master</p> <p>CREATE SERVER AUDIT C_Audit TO FILE (FILEPATH = 'ApplicationLog')</p> <p>ALTER SERVER AUDIT C_Audit WITH (STATE = ON)</p> <p>CREATE SERVER AUDIT C_Audit TO APPLICATION_LOG</p> <p>ALTER SERVER AUDIT C_Audit WITH (STATE = ON)</p> <p>USE Contoso</p> <p>CREATE SERVER AUDIT SPECIFICATION C_AuditSpec FOR SERVER AUDIT C_Audit ADD (SCHEMA_OBJECT_ACCESS_GROUP)</p> <p>ALTER SERVER AUDIT SPECIFICATION C_AuditSpec WITH (STATE = ON)</p> </div>

[www.ensurepass.com](#)

[<< Move](#)
[Remove >>](#)

Correct Answer:

```
USE Master
CREATE SERVER AUDIT C_Audit
TO APPLICATION_LOG

ALTER SERVER AUDIT C_Audit
WITH (STATE = ON)

USE Contoso
CREATE DATABASE AUDIT SPECIFICATION
C_AuditSpec
FOR SERVER AUDIT C_Audit
ADD (UPDATE ON Sales.ProductPrices BY
dbo)

ALTER DATABASE AUDIT SPECIFICATION
C_AuditSpec WITH (STATE=ON)
```

QUESTION 85

DRAG AND DROP

You administer a Microsoft SQL Server 2012 database. Your database is experiencing deadlock issues. You need to be able to monitor deadlocks. Which three actions should you perform in sequence?

To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Build List and Reorder:

Ordered List Title	Answer Choices Title
<div style="border: 1px solid black; height: 150px; width: 100%;"></div>	<div style="border: 1px solid black; padding: 5px;"> <p>Start Microsoft SQL Server Management Studio.</p> <p>Start SQL Server Configuration Manager and locate the SQL Server service.</p> <p>Restart the SQL Server service for that particular instance.</p> <p>Run the DBCC TRACEON (1221, -1) Transact-SQL query.</p> <p>From the SQL Server Properties page, click the Startup parameters tab and add Trace Flag -T1222 to the start-up parameters list.</p> </div>

<< Move
Remove >>

Correct Answer:

Start SQL Server Configuration Manager and locate the SQL Server service.

From the SQL Server Properties page, click the Startup parameters tab and add Trace Flag -T1222 to the start-up parameters list.

Restart the SQL Server service for that particular instance.

QUESTION 86

DRAG AND DROP

You administer a Microsoft SQL Server database. Service accounts for SQL Agent are configured to use a local user. A Microsoft SQL Server Integration Services (SSIS) job step has been created within a SQL Server Agent job. The SSIS package accesses a network share when exporting data from a SQL Server database. When you execute the SQL Server Agent job, it fails due to a permissions failure on a share on a remote server. You need to ensure that the SQL Server Agent job can execute the SSIS package. Which four actions should you perform in sequence?

To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Build List and Reorder:

Ordered List Title	Answer Choices Title
<div style="border: 1px solid black; height: 150px; width: 100%;"></div>	<div style="border: 1px solid black; padding: 5px;"> <p>Add a proxy that references the local user.</p> <p>Add a proxy that references the credential.</p> <p>Create a local user account and grant local administrator on the SQL Server instance.</p> <p>Create a credential that references the local user.</p> <p>Create a credential that references the domain user.</p> <p>Assign the proxy to the Operating System subsystem.</p> <p>Assign the proxy to the SSIS package execution subsystem.</p> <p>Create a domain user account and grant permissions to the domain user account to access the network share.</p> </div>

<< Move
Remove >>

Correct Answer:

Create a domain user account and grant permissions to the domain user account to access the network share.

Create a credential that references the domain user.

Add a proxy that references the credential.

Assign the proxy to the SSIS package execution subsystem.

QUESTION 87

DRAG AND DROP

You administer a Microsoft SQL Server 2012 server. A variety of issues occur from time to time in the production environment. You need to identify the appropriate tool for each issue. Which tool or tools should you use?

To answer, drag the appropriate tool or tools to the correct issue or issues in the answer area. Each tool may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Select and Place:

Tool	Issue
DBCC CHECKDB	You want to verify network utilization.
Performance Monitor	You suspect that a process is being blocked.
sys.dm_exec_requests DMV	You need to validate the integrity of the database.
SQL Server error log	A SQL Agent job fails on a specific step, and you need the details of that step.
Job History	SQL Server will not start.

Correct Answer:

Tool	Issue
	You want to verify network utilization.
	You suspect that a process is being blocked.
	You need to validate the integrity of the database.
	A SQL Agent job fails on a specific step, and you need the details of that step.
	SQL Server will not start.

Performance Monitor

sys.dm_exec_requests DMV

DBCC CHECKDB

Job History

SQL Server error log

QUESTION 88

DRAG AND DROP

You administer a Microsoft SQL Server database that is used by an application. Users of the application report performance issues. You need to choose the appropriate tool for performance-tuning of SQL Server databases. Which tool or tools should you use?

To answer, drag the appropriate tool or tools to their corresponding task or tasks in the answer area. Each tool may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Select and Place:

Tool	Task
SQL Profiler	Generating alerts
System Monitor	Capturing and replaying trace activity
XEvents	Identifying cause of high page splits
	Troubleshooting cause of high page_io latch

Correct Answer:

Tool	Task
SQL Profiler	Generating alerts
System Monitor	Capturing and replaying trace activity
XEvents	Identifying cause of high page splits
XEvents	Troubleshooting cause of high page_io latch

QUESTION 89

DRAG AND DROP

You administer a single Microsoft SQL Server instance on a two-node failover cluster that has nodes named Node A and Node B. The instance is currently running on Node A. You want to patch both Node A and Node B by using the most recent SQL Server Service Pack.

You need to ensure that the following requirements are met:

- Both nodes receive the update.
- Downtime is minimized.
- No data is lost.

Which three actions should you perform in sequence?

To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Build List and Reorder:

Ordered List Title	Answer Choices Title
<div><div><div></div><div></div></div><div></div></div>	<div>Pause Node A.</div> <div>Pause Node B.</div> <div>Failover from Node A to Node B.</div> <div>Start the SQL Server service on both nodes.</div> <div>Install the service pack on Node A.</div> <div>Install the service pack on Node B.</div> <div>Stop the SQL Server service on both nodes.</div>

<< Move Remove >>

Correct Answer:

Install the service pack on Node B.

Failover from Node A to Node B.

Install the service pack on Node A.

QUESTION 90

DRAG AND DROP

You administer a Microsoft SQL Server 2012 database. The database uses SQL Server Agent jobs to perform regular FULL and LOG backups. The database uses the FULL recovery model. You plan to perform a bulk import of a very large text file. You need to ensure that the following requirements are met during the bulk operation:

- The database transaction log is minimally affected.
- The database is online and all user transactions are recoverable.
- All transactions are fully recoverable prior to the import.

Which three actions should you perform in sequence?

To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Build List and Reorder:

Ordered List Title	Answer Choices Title
<div><div>▲▼</div><div></div></div>	<div>Execute the BCP tool.</div> <div>Perform a FULL database backup.</div> <div>Perform a database LOG backup.</div> <div>Configure the database to use the FULL recovery model.</div> <div>Configure the database to use the BULK-LOGGED recovery model.</div>

www.ensurepass.com

<< Move

Remove >>

Correct Answer:

Perform a database LOG backup.

Configure the database to use the BULK-LOGGED recovery model.

Execute the BCP tool.

www.ensurepass.com

QUESTION 91

DRAG AND DROP

You administer a Microsoft SQL Server 2012 database. You need to convert the database to a contained database. You also need to ensure that all users are converted to contained users. Which three actions should you perform in sequence?

To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Build List and Reorder:

Ordered List Title	Answer Choices Title
<div style="border: 1px solid black; height: 200px; width: 100%;"></div>	<div> <div>Execute the ALTER DATABASE statement along with CONTAINMENT=PARTIAL.</div> <div>Execute the ALTER DATABASE statement along with CONTAINMENT=TRUE.</div> <div>Execute sp_configure 'cross db ownership chaining', 1; RECONFIGURE.</div> <div>Execute sp_configure 'contained database authentication', 1; RECONFIGURE.</div> <div>Execute sp_migrate_user_to_contained for the database.</div> <div>Execute sp_migrate_user_to_contained for each user.</div> </div>

<< Move Remove >>

Correct Answer:

Execute sp_configure 'contained database authentication', 1; RECONFIGURE.
 Execute the ALTER DATABASE statement along with CONTAINMENT=PARTIAL.
 Execute sp_migrate_user_to_contained for each user.

Ensurepass.com Members Features:

1. Verified Answers researched by industry experts.
2. Q&As are downloadable in PDF and VCE format.
3. 98% success Guarantee and **Money Back** Guarantee.
4. Free updates for **180** Days.

View list of All Exam provided:

<http://www.ensurepass.com/certifications?index=A>

To purchase Lifetime Full Access Membership click here:

<http://www.ensurepass.com/user/register>

Valid Discount Code for 2014: SFOH-FZA0-7Q2S

To purchase the HOT Microsoft Exams:

<u>Microsoft</u>			
70-243	70-347	70-466	70-515
70-246	70-410	70-467	70-516
70-247	70-411	70-480	70-519
70-321	70-412	70-481	70-583
70-331	70-413	70-484	70-640
70-332	70-414	70-485	70-649
70-336	70-417	70-486	70-668
70-337	70-461	70-487	70-680
70-341	70-462	70-488	70-687
70-342	70-463	70-489	70-688
70-346	70-464	70-513	70-689



Microsoft®

ORACLE®



CITRIX®

